

www.dermscan.com

Study report #22E2150

Related to quote #22E2150-2

EVALUATION OF THE CUTANEOUS ACCEPTABILITY AND EFFICACY OF A DERMOCOSMETIC PRODUCT -USE TEST UNDER DERMATOLOGICAL CONTROL -



TYRNI LUKSUS SPA SAIPPUA

CLINICAL INVESTIGATION CENTER						
eurofins	Dermscan	CRO: EUROFINS DERMSCAN POLAND Sp. z o. o. UI. Matuszewskiego 12 80 - 288 GDANSK POLAND Tel. + 48 58 732 02 90 STUDY SITE: UI. Armii Krajowej 11/12 82 - 210 MALBORK POLAND				

Study coordination:

EUROFINS Dermscan/Pharmascan Project Manager

Ms Anna CZERMAŃSKA: acz@dermscan.pl

EUROFINS Dermscan/Pharmascan Project Manager Assistant

Ms Karina KUPPER: kgu@dermscan.pl

Investigator

Ms Ewa KARAMON (dermatologist)

Document 1/1 including 38 pages

TABLE OF CONTENTS

KEY ELEN	MENTS OF THE STUDY #22E2150	3
1 QUA	LITY CONTROL STATEMENT	6
<u>2</u> STUD	Y PROCESS	7
2.1 PO	PULATION	7
	ZESTIGATIONAL PRODUCT	10
2.3 STU	JDY STAGES	11
2.4 DA	TA ANALYSIS	12
2.5 AU	DIT AND TRIAL MONITORING VISIT	14
3 PRIN	CIPLES AND RESULTS	15
3.1 UN	DESIRABLE EFFECTS / ADVERSE EVENTS	15
3.2 CU	TANEOUS ACCEPTABILITY	15
3.3 GL	DBAL EFFICACY EVALUATION	18
3.4 SU	BJECTIVE EVALUATION QUESTIONNAIRE	20
4 CON	CLUSION	25
5 CERT	IFICATION	27
<u>6</u> <u>BIBLI</u>	OGRAPHY	28
<u>7 APPE</u>	NDICES – STUDY DOCUMENTS/ DETAILED RESULTS	30
7.1 SU	BJECTS' CHARACTERISTICS	30
7.2 DA	ILY LOG (TRANSLATION)	31
7.3 CO	NCOMITANT TREATMENTS	31
7.4 CU	TANEOUS ACCEPTABILITY- INDIVIDUAL RESULTS	32
7.5 CLI	NICAL SCORE BY THE DERMATOLOGIST	33
7.6 SU	BJECTIVE EVALUATION QUESTIONNAIRE	35
8 APPE	NDICES - ETHICAL REQUIREMENTS AND REGULATORY STANDARDS	36
8.1 AD	VERSE EVENT	36
8.2 PRI	MATURE TERMINATION OF SUBJECT PARTICIPATION	37
8.3 CO	NFIDENTIALITY AND GENERAL DATA PROTECTION REGULATION	37
8.4 DA	TA COLLECTION AND VALIDATION	38
8.5 QU	ALITY MANAGEMENT	38
8.6 AR	CHIVES OF STUDY DOCUMENTS	38

KEY ELEMENTS OF THE STUDY #22E2150

EVALUATION OF THE CUTANEOUS ACCEPTABILITY AND EFFICACY OF A DERMOCOSMETIC **PRODUCT** - USE TEST UNDER DERMATOLOGICAL CONTROL -Claim Tolerance tested under dermatological control. To evaluate for the studied product: its ability to maintain human body in good condition (cutaneous acceptability) proven by clinical examination by the dermatologist; its efficacy on itching and redness by clinical score by dermatologist; **Objectives** subjectively its cosmetic acceptability, efficacy and future use by analysis of the subjects' answers to a subjective evaluation questionnaire; potential adverse events collection. Open, intra-individual study; each subject is his/her own control; Methodology Before / After. D28 **Evaluation** D0-D27 D0 zone (±1) Information of the subject about study conditions and collection of his/her informed consent. Verification of inclusion and non-inclusion criteria. Clinical examination by the dermatologist to assess the cutaneous state of the face. **Kinetics** Evaluation of itching and redness by clinical score by the Face dermatologist. Distribution (d) / collection (c) of the daily log and study product. (d) • (c) Product application by the subjects at home. Subjective evaluation questionnaire. Potential adverse event collection. 1st results by e-mail **Product reception** Study start Study end **Dates** July 26th, 2022 August 26th, 2022 November 7th, 2022 November 21st, 2022 Form **Application zone** Reference **Product** TYRNI LUKSUS SPA SAIPPUA Peach bar of soap Face Specific inclusion criteria **Sex:** female and/or male; Age: 18 years old and above; Phototype: I to IV; Subjects with mild rosacea (erythrose) of state I on the face (type 1: characterized by skin that Study is easily irritated, as well as flushing and persistent redness (erythema) on central areas of the **Population** face, such as the nose, the cheeks, the forehead, the chin, and dilated, superficial blood vessels (telangiectasia). Patients with this subtype may also experience scaling, roughness of the skin, swelling, burning and/or stinging.). Number of subjects analyzed Average age 21 52(±3) years (between 31 and 87)

4/38

Under these study conditions, after 28 days of once or twice daily use, the product "TYRNI **LUKSUS SPA SAIPPUA":**

- was assessed by the dermatologist as having a very good tolerance on the cutaneous
- presented an improvement of the itching, characterized by clinical score assessed by the dermatologist:




presented an improvement of the redness, characterized by clinical score assessed by the dermatologist:



Conclusion

was appreciated by majority of subjects for its properties and efficacy:





Investigator

Ewa KARAMON

(dermatologist)

01/2/2022

Mienecca

1 QUALITY CONTROL STATEMENT

The person responsible for the final quality control certifies that the study above was conducted as closely as possible to Good Clinical Practice (GCP-ICH), in compliance with the study protocol and EUROFINS Dermscan/Pharmascan standard operating procedures and that the study report reflects raw data.

	QUALITY CONTROL ASSESSOR				
Last name	CZERMAŃSKA				
First name	Anna				
Date	111212022				
Signature	Gens				

2 STUDY PROCESS

EUROFINS Dermscan/Pharmascan is certified ISO: 9001-2015.

EUROFINS Dermscan/Pharmascan benefits from a governmental Research Tax Credit from the French Ministry of Research.

The study is carried out on a cosmetic product whose safety has been assured by the Sponsor.

Its aim is to further confirm, under normal and reasonably foreseeable use conditions, the capacity of a product to maintain human body in good condition.

The European Directive 2001/20/EC and regulations issued by the Minister of Health (Order of the Minister of Health of May 2, 2012 regarding Good Clinical Practice, Dz.U. 2012, item 491) is not applicable. Therefore, this study is considered as non-interventional and does not require the Ethics Committee Approval and the Competent Authority Authorization.

+ See ethical requirements and regulatory standards in **Appendix 8.**

This study was conducted under the following conditions:

2.1 POPULATION

2.1.1 Selection

INCLUSION CRITERIA

Specific

- **Sex:** female and/or male;
- Age: 18 years old and above;
- Phototype: I to IV;
- Subject with mild rosacea (erythrose) of state I on the face (type 1: characterized by skin that is easily irritated, as well as flushing and persistent redness (erythema) on central areas of the face, such as the nose, the cheeks, the forehead, the chin, and dilated, superficial blood vessels (telangiectasia). Patients with this subtype may also experience scaling, roughness of the skin, swelling, burning and/or stinging.).

General

- Healthy subject;
- Subject having given his/her free informed, written consent;
- Subject willing to adhere to the protocol and study procedures.

NON-INCLUSION CRITERIA

- For women: pregnant or nursing woman or woman planning to get pregnant during the study;
- Cutaneous pathology on the study zone except rosacea (eczema, etc.);
- Use of topical or systemic treatment during the previous weeks liable to interfere with the assessment of the cutaneous acceptability and efficacy of the study product;
- Subject with make-up on the day of the visit at the laboratory;
- Subject having undergone a surgery under general anesthesia within the previous month;
- Excessive exposure to sunlight or UV-rays within the previous month;
- Subject enrolled in another clinical trial during the study period (concerns the studied zones);
- Subject who does not meet the Ministry of Health guidelines for Covid-19 at the time of the visit.

	DURING THE STUDY, THE SUBJECTS	
HAVE TO	MUST NOT	ARE ALLOWED TO USE* (except on visiting days)
 respect dates and hours of evaluation visits; follow the conditions of use of the investigational product at home; complete the daily-log and bring it back with the investigational product/packaging at the end of the study; avoid excessive UV exposure (including artificial UV); wear mask and disinfect hands during the visits at the laboratory. 	 apply any product to test areas the days of the visits* to the investigation center; apply any other similar product (face cleanser) to test areas during the study; modify their usual make-up, hygiene or care products and/or use new products; allow the use of the study product by another person than herself/himself. 	 usual make-up and make-up removal products; usual care products (day/night face cream, serum); for men: usual shaving products (last shave should be done the day before the visits – at latest).

^{*} a wash with the usual or tested product is allowed before the visit to the investigation center.

2.1.3 Compliance assessment

The compliance is controlled by checking the daily log.

+ See Appendix 7.2.

2.1.4 Protocol deviations

A protocol deviation can be defined as any non-adherence to the final protocol, including:

- wrong inclusion (inclusion criteria or non-inclusion criteria not fulfilled);
- start of a prohibited concomitant treatment;
- non-adherence of the subjects to the study schedule (missed or postponed visit);
- missing data for one or several evaluation criteria;
- low compliance of the subject to the study product(s) application;
- premature study end or untraceable subject;
- no respect of the constraints envisaged by the protocol.

Deviations to the protocol should be classified as:

- **minor** if they don't impact the rights, safety or well-being of the subjects. They do not increase the risk for the subject and/or do not have a significant effect on the integrity of the data collected,
- major (or protocol violations) if they affect the rights, safety or well-being of participants. They increase the risk for the subject and/or have a significant effect on the integrity of the study data,
- **critical:** any protocol violations as mentioned above necessarily requiring the suspension or the termination of the study.

In case of minor protocol deviation, the technician or the investigator repeats the instructions and reminds the subject to follow protocol requirements / study procedures. In case of persistent or major protocol violations, the subject is declared non-compliant and withdrawn from the study because of non-compliance.

The non-adherences observed are presented in the following table:

Subject#	Description of the non-adherence	Type of non- adherence (minor / major)	Data kept in the analysis (yes/no)
1	The subject returned on D33 instead of D28.	minor	yes
4	The subject returned on D36 instead of D28.	major	no
7	The subject returned on D33 instead of D28.	minor	yes
8	The subject returned on D33 instead of D28.	minor	yes

- The protocol non-adherence of the subjects #1, 7 and 8 did not invalidate the data obtained for these subjects.
- The protocol non-adherence of the subject #4 did invalidate the data obtained for this subject.

2.1.5 Concomitant treatments


- None of the concomitant medications started after the beginning of the study invalidated the data obtained for any subject.
 - + See the concomitant medications table in **Appendix 7.3.**


2.1.6 Follow-up

		Number of SUBJECTS						
	INCLUDED	COMPLETING THE STUDY	ANALYZED	NOT COMPLETING THE STUDY	NOT ANALYZED			
Cutaneous acceptability/ Clinical score / Subjective evaluation	22	22	21	/	1 Subject #4: returned on D36 instead of D28.			

2.1.7 Demographic data

ANALYZED		AGI	E (IN YEA	RS)		Sensitive	Mild rosacea (erythrose) of state I on the face	
SUBJECTS (included in at least one analysis)	SEX	Mean ± SEM	Min.	Max.	Face skin type	skin on the face		COMMENTS AND DETAILED DATA
21	Female: 17 Male: 4	52±3	31	87	Normal: 1 Dry: 11 Combination: 7 Greasy: 2	Yes: 21	Yes: 21	See Appendix 7.1





2.2 INVESTIGATIONAL PRODUCT

2.2.1 Description

Reference	Batch#	Form	Packaging	Confidentiality procedure	Storage temperature
TYRNI LUKSUS SPA SAIPPUA	5208	Peach bar of soap	50 x 1 unit	Encoded	Room temperature

2.2.2 Application

Zone	Frequency	Directions for use
Face	Once or twice a day.	Use on wet face. Use soap with hands or wash cloth to get some lather, then wash the face gently and rinse well.
		Use your preferred (usual) moisturizer afterwards).

2.2.3 Labelling

Example of labelling of each product by EUROFINS Dermscan/Pharmascan and translation:

DERMSCAN Badanie n°	DERMSCAN Study #
Nr Ochotnika:	Subject#: Dermscan ref.: Emergency telephone number:
Warunki przechowywania:	Conservation:
Przechowywać z dala od dzieci i ich zasięgu wzrokowego. Stosować pod kontrolą medyczną tylko dla potrzeb badania.	Keep out of reach and sight of children. To be used only under strict medical supervision for clinical trial.

2.2.4 Storage

Until the beginning of the study, products are kept at room temperature in a dedicated air-conditioned room, which is locked and access controlled.

2.2.5 Attribution to the subjects

→ Product

All the subjects receive the same product reference.

→ Application zones

Not applicable. All the subjects apply the product to the same zone.

2.2.6 Handing-out

The products are delivered to the subjects by the investigator with an explanation of the application conditions.

2.2.7 Future

As far as possible, one sample of the study product is kept by the investigation center for a period of six months after its receipt.

• By default, the products (used and not used) are destroyed at the end of the study according to the current internal EUROFINS Dermscan/Pharmascan procedures.

2.3 STUDY STAGES

ON DO:

Subjects:

- come to the investigation center without having applied any product on the face (except the morning wash with usual product);
- are informed about the trial objectives, the procedures and the risks of the study with the information sheet;
- sign two copies of the Consent Form.

Dermatologist:

- conducts an epidemiological interview;
- verifies inclusion and non-inclusion criteria;
- performs a clinical examination of the skin on the face;
- asks the subjects about their usual unpleasant sensations (cutaneous level);
- performs the clinical score of the itching and redness on the face for the product's efficacy evaluation;
- gives to the subjects:
 - the **product** to be used according to the instructions in 2.2.1 and 2.2.2,
 - the **daily log** to write down their possible unpleasant sensations or medications.
 - + See Appendix 7.2.

ON D28 (±1) (last application being on the visit day – D28):

Subjects:

- return to the investigation center without having applied any product to the studied zone since the previous day (except the morning wash with tested product);
- bring back their daily log and study product/packaging;
- fill in the subjective evaluation questionnaire.
 - + See Appendix 7.6.

Dermatologist:

- · conducts an epidemiological interview;
- performs a new clinical examination of the skin on the face;
- asks the subjects about the unpleasant sensations they felt during the study to assess the cutaneous acceptability
 of the study product;
- performs the clinical score of the itching and redness on the face for the product's efficacy evaluation;
- collects possible adverse events.

2.4 DATA ANALYSIS

The following data are analyzed:

	Parameter(s)	Unit(s)	Variation(s) DX/D0 Kinetics	Statistical analysis (tick if yes)	Expected result(s)
Cutaneous acceptability	Clinical signs observed Functional and physical signs reported by the subjects	/	D28/D0	/	No worsening
Efficacy clinical score (itching and redness)	Items	/	D28/D0	Х	٧
Subjective evaluation	Questionnaire	%	D28		ignificant proportion itive answers

Individual data are presented in raw value tables. These tables also show the descriptive statistics: means, medians, minima, maxima, standard errors of the means (SEM) and confidence intervals of 95% (95% CI).

2.4.1 Calculation formulas

The variations (Δ) and in percentage on the mean (Δ %) are calculated according to the following formulas:


$$\Delta = TZ_{ti} - TZ_{t0}$$

with: TZ: value obtained on the zone treated by the tested product

t0: before product application

ti: at each measurement time after product application

2.4.2 Statistical method



Analysis conditions	p-value	НО	Conclusion
Type I error (α) = 5% in bilateral / unilateral mode	p ≤ 0.05	Rejected	Statistically significant difference
Null hypothesis (H0)= no difference between means ⁽¹⁾ or medians ⁽²⁾	p > 0.05	Not rejected	No statistically significant difference

Moreover, to evaluate the significance of the answers to the subjective evaluation questionnaire, the 95% confidence interval is determined according to the Wilson method and compared to the theoretical proportion of 50%:

Statistical hypotheses	p-value	НО	Conclusion
Null hypothesis (H0): Proportion of positive answers ≤50%	p ≤ 0.05	Rejected (α= 5%)	Proportion of positive answers is significantly superior to 50%
Alternative hypothesis (H1): Proportion of positive answers > 50%	p > 0.05	Not Rejected	Proportion of positive answers is not significantly superior to 50%

2.4.3 Statistical software

The software used is Excel and SAS 9.4.

2.5 AUDIT AND TRIAL MONITORING VISIT

An audit and/or trial monitoring visit may be carried out at the Sponsor's request or by the appropriate regulatory authority. The aim of the monitoring visit is to verify that the study is conducted according to the determined protocol and current regulations.

• No monitoring visit occurred for this study.



		RESULTS	٠.

3.1 UNDESIRABLE EFFECTS / ADVERSE EVENTS

No Undesirable Effects was observed during the study.

No Serious Adverse Event was reported during the study.

3.2 CUTANEOUS ACCEPTABILITY

3.2.1 Principle

Before (D0) and after 28 days of the product use, the subject's face is examined by the dermatologist in charge of study to assess each of the following parameters:


	NONE	VERY MILD	MILD	MODERATE	SEVERE
Erythema					
Edema					
Dryness					
Desquamation					
Roughness					
Others					
Please define:					

On D0, the subjects are also asked about their usual functional and physical signs (usual ones and felt on D0):

	NONE	VERY MILD	MILD	MODERATE	SEVERE
Tightness					
Stinging					
Itching					
Warm, burning sensation					
Redness/ Erythema					
Edema					
Dryness					
Desquamation					
Roughness					
Others					
Please define:					

At the end of the study, the cutaneous acceptability of the product is assessed by taking into account the relevant elements reported by the subject (functional and physical signs) as well as those noted during the examination (clinical signs).


The confrontation of these signs is used to conclude on the final cutaneous acceptability of the studied product.



3.2.2 Summary of the results

Clinical signs


NUMBER AND PERCENTAGE OF SUBJECTS PRESENTING
CLINICAL SIGNS



	Observed clinical signs							
SUBJECT NUMBER	TYPE OF SIGNS	RELEVANCE						
	No clinical sign (worsened compared to D0) was observed	on D28.						

Functional and physical signs reported by subjects

NUMBER AND PERCENTAGE OF SUBJECTS REPORTING FUNCTIONAL & PHYSICAL SIGNS



	Functional & physical signs reported by the subjects						
SUBJECT NUMBER	FUNCTIONAL SIGNS	PHYSICAL SIGNS	RELEVANCE				
1	Mild tightness on the cheeks just after the product application during 15 minutes on D0, D1, D2 and D3 (likely imputable, usual sign).		Not relevant				
5	Mild dryness on the cheeks just after the product application during ten minutes on D2, D5 and D8 (likely imputable, usual sign).		Not relevant				
7	Mild tightness on the cheeks two minutes after product application during five minutes on DO (likely imputable, usual sign). Mild tightness on the cheeks and forhead just after the product application during less than five minutes from D0 to D33 (likely imputable, usual sign).	None	Not relevant				
8	Mild tightness on the cheeks and forehead just after the product application during less than five minutes from D0 to D2 (likely imputable, usual sign). Moderate tightness on the cheeks and forhead just after the product application during eight hours from D3 to D33 (likely imputable, usual sign).	None	Not relevant				
11	Mild tightness on the cheeks five minutes after the product application during ten minutes from D0 to D2 (likely imputable, usual sign). Very mild tightness on the cheeks five minutes after the product application during ten minutes from D3 to D28 (likely imputable, usual sign).	None	Not relevant				



Four subjects (#1, 7, 8 and 11) reported functional signs. Additionally, one subject (#5) reported only physical sign. All of the reported signs were assessed as not relevant by the dermatologist.

Moreover, no clinical signs (worsened in comparison to D0 state) was observed on D28.

Under these study conditions, after 28 days of once or twice a day use the Investigator judged the product "TYRNI LUKSUS SPA SAIPPUA" as very well tolerated on the cutaneous level.

3.3 GLOBAL EFFICACY EVALUATION

3.3.1 Principle

The investigator assesses the clinical score of the itching and redness on face on D0 and D28 with structured 11-point scale from 0 to 10.

The scales are presented below:


1. Itchi	ng									
0 1 No itching		2	3	4	5	6	7	8	9 Severe	10 itching
2. Redr	ness									
0 1 No redness		2	3	4	5	6	7	8	9 Severe	10 redness
		impro	ecrease = ovement i kin aspec	n the		itch	rage of ing and dness			


3.3.2 Summary of the results

The individual results are presented in **Appendix 7.5.** A synthesis of the results obtained is presented below:

_							Stati	stical ana	lysis	
	Number of subjects	D0 mean ± SEM	Dx mean ± SEM		∆ Dx-D0 an ± SEM)	Δ%on mean	р	significant	Test	% of subjects with the expected effect
Itching	21	2.19 ± 0.46	D28 0.4 ± 0.2	∆ D28	-1.8 ± 0.3	-80%	0.0002	Yes	Wilcoxon	62%


						Stati	stical ana	lysis	
	Number of subjects	DO mean ± SEM	Dx mean ± SEM	Δ Dx-D0 (mean ± SEM)	∆%on mean	р	significant	Test	% of subjects with the expected effect
Redness	21	5.3 ± 0.3	D28 2.5 ± 0.3	Δ D28 -2.8 ± 0.2	-52%	<0.0001	Yes	t-test	95%












3.4 SUBJECTIVE EVALUATION QUESTIONNAIRE

3.4.1 Principle

A subjective evaluation questionnaire, prepared by the clinical trial centre and submitted to the sponsor, is filled in by the subjects at the end of the study (D28) to subjectively evaluate the properties of the studied product, its global efficacy and its future use.

To evaluate the significance of the answers, the 95% confidence interval is determined according to the Wilson method and compared to the theoretical proportion of 50% (see § 1.4.2)



3.4.2 Summary of the results


The subjects' answers to the subjective evaluation questionnaire are presented in Appendix 7.6.

To be easier to read, the percentages are rounded off. The sum of these percentages may be different from 100%.


• In this study (n=21), one subject represents 4.8%.

		After 28	days	
GENERAL APPRECIATION OF THE PRODUCT AND ITS PROPERTIES	% of positive answers	very pleasant / pleasant	Signification Si	95% CI
What is you global appreciation of the product?	90%	(52% / 38%)	Yes	(70% - 97%)

			Signific	ativity
	% of positive answers	agree /somewhat agree	Lower limit > 50%	95% CI
Is the use of product easy?	100%	(81% / 19%)	Yes	(85% - 100%)
Did you find this product pleasant to use?	100%	(81% / 19%)	Yes	(85% - 100%)




		After 28	days	
			Significa	ativity
PRODUCT'S EFFICACY	% of positive answers	agree /somewhat agree	Lower limit > 50%	95% CI
The skin is soft	100%	(71% / 29%)	Yes	(85% - 100%)
The skin is healthy looking	100%	(76% / 24%)	Yes	(85% - 100%)
The skin is cleansed	100%	(90% / 10%)	Yes	(85% - 100%)
The skin is moisturized	86%	(67% / 19%)	Yes	(66% - 95%)
The skin is soothed	91%	(67% / 24%)	Yes	(72% - 98%)
The skin is comfortable	90%	(76% / 14%)	Yes	(70% - 97%)
The product reduces itching	91%	(81% / 10%)	Yes	(72% - 98%)
The product reduces redness	86%	(67% / 19%)	Yes	(66% - 95%)
The product reduces discomfort sensation	76%	(57% / 19%)	Yes	(55% - 89%)
The product foams well	100%	(86% / 14%)	Yes	(85% - 100%)
The product is easy to rinse	100%	(90% / 10%)	Yes	(85% - 100%)
The product is suitable for my face type	90%	(71% / 19%)	Yes	(70% - 97%)



	After 28 days				
ACCEPTABILITY			Significa	ativity	
	% of positive answers	no	Lower limit > 50%	95% CI	
During this study did you feel any cutaneous irritation sensation?	76%	(76%)	Yes	(55% - 89%)	

	After 28 days					
FUTURE USE			Significa	ativity		
	% of positive answers	yes	Lower limit > 50%	95% CI		
Would you like to continue to use the product?	81%	(81%)	Yes	(60% - 92%)		
At the end of this study would you like to buy this product (regardless of the price)?	86%	(86%)	Yes	(66% - 95%)		




	04
Vol	Q4 What did you LIKE about this product?
1	Fragrance, texture, appearance.
2	Fragrance, very pleasant and delicate product.
3	Very pleasant fragrance, great texture. Product creates a pleasant foam on the face.
(4)*	(Product is comfortable to use.)*
5	Fragrance.
6	Texture of the soap.
7	Fragrance, texture and packaging.
8	Fragrance and texture.
9	Fragrance, moisturizing effect.
10	Very pleasant fragrance. Product leaves a pleasant feeling of freshness and soft, delicate skin on the face.
11	Fragrance. The product is delicate and leaves skin soft.
12	The product is delicate, spreads well and moisturizes the skin.
13	Bar form of the product, efficency, fragrance and easy application.
14	Fragrance, efficiency, easy application.
15	Bar form of the product, fragrance, efficiency, easy application and foams well.
16	Economic, efficient, gentle fragrance, foams easily.
17	Easy application, fragrance, foams well and it is efficient.
18	Product is very soothing, foams and rinses well. Fragrance is pleasant. After the wash there is feeling of freshness. Product reduces itching and other discomfort sensations.
19	Efficacy of the product.
20	Pleasant fragrance.
21	Pleasant to use, foams slightly.
22	Fragrance.

Vol	Q5 What did you DISLIKE about this product?
1	None
2	None
3	None
(4)*	(None)*
5	None
6	Fragrance.
7	Tightness sensation after product use.
8	Tightness sensation after product use.
9	None
10	None
11	Gentle tightness sensation after product use.
12	None
13	None
14	None
15	None
16	None
17	None
18	None
19	None
20	None
21	None
22	None


4 CONCLUSION

Under these study conditions, after 28 days of once or twice a day use, the product "TYRNI LUKSUS SPA SAIPPUA":


- was assessed by the dermatologist as having a very good tolerance on the cutaneous level;
- presented an improvement of the itching, characterized by clinical score assessed by the dermatologist:




presented an improvement of the redness, characterized by clinical score assessed by the dermatologist:




was appreciated by majority of subjects for its properties and efficacy:









The product "TYRNI LUKSUS SPA SAIPPUA" can claim "TOLERANCE TESTED UNDER DERMATOLOGICAL CONTROL"

5 CERTIFICATION

The study is conducted according to Helsinki Declaration (1964) and its successive updates. Data are obtained using the study protocol, current internal procedures and as closely as possible to the guidance on Good Clinical Practice CPMP / ICH / 135 / 95 (R2).

This study is totally performed under the responsibility of EUROFINS Dermscan/Pharmascan.

All the observations and numerical data collected throughout the study are reported in this document and are in accordance with the obtained results.

	INVESTIGATOR - dermatologist	PROJECT MANAGER ASSISTANT
Name	Ewa KARAMON	Karina KUPPER
Date	01/12/2002	
Signature	Thenee	

Any modifications are the sole responsibility of the author of the modification, whether he/she is acting for the Sponsor or independently.

The on-line publishing, on the Internet, of this study report with the names and signatures is strictly prohibited.

6 BIBLIOGRAPHY

Regulatory

- 1. ICH TOPIC E6 (R2)/ Note for guidance on Good Clinical Practice- CPMP / ICH / 135 / 95, November 2016.
- 2. WORLD MEDICAL ASSOCIATION DECLARATION OF HELSINKI/ Ethical Principles for Medical Research Involving Human Subjects- Helsinki Declaration (1964) and its successive updates.
- 3. Order of the Minister of Health May 2, 2012 (Dz.U. 2012 poz.491)
- 4. REGULATION (EU) 2016/679 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation)
- 5. REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 30 November 2009 on cosmetic products (recast).
- 6. Commission Regulation (EU) No 655/2013 of 10 July 2013 laying down common criteria for the justification of claims used in relation to cosmetic products
- 7. ANSM / IMPUTABILITE DES EFFETS INDESIRABLES LIES AUX PRODUITS COSMETIQUES, 2013. http://ansm.sante.fr/var/ansm_site/storage/original/application/5dbe53023c2f828bdbed348b4a942a91.pdf

Cutaneous acceptability

- 1. IGIELSKA-KALWAT J, GOŚCIAŃSKA J, WITKOWSKA B, NOWAK I. / In vivo studies of substances used in the cosmetic industry Advances in Dermatology and Allergology. 2016; 33(3):163-169.
- 2. SALVERDA et Al. / Results of a cosmetovigilance survey in The Netherlands Contact Dermatitis. 2013; 68: 139-148.
- 3. BROECKX W., BLONDEEL A., DOOMS-GOOSSENS A., ACHTEN G. / Cosmetic intolerance Contact Dermatitis. 1987; 16: 189-194.
- 4. ROBERT P. and coll. / Dermopharmacologie clinique EDISEM MALOINE, 1985.

Questionnaire

1. AGRESTI A. / Categorical data analysis, second edition - Wiley series in probability and statistics - July 2002.

Data analysis


1. SOKAL R. R., ROHLF F. J. / Biometry: the principles and practice of statistics in biological research - 3nd edn.W.H. Freeman and company, New York, 1995.



APPENDICES:

STUDY DOCUMENTS, DETAILED RESULTS & ETHICAL REQUIREMENTS AND REGULATORY STANDARDS







7 APPENDICES – STUDY DOCUMENTS/ DETAILED RESULTS

7.1 SUBJECTS' CHARACTERISTICS

Subject #	Last name	First name	Age	Se	ех	Photo	otype	Face ty _l		Sens sk		Mild ro (erythro state I o	ose) of on the	Comments	D0 date	D28 date								
1	CH	Α	32	ı	F	II	I	(2	Υe	es	Ye	S	Protocol non-adherence	2022-08-26	2022-09-28								
2	КО	M	55	ı	F	I	l)	Υe	es	Ye	S	None	2022-08-29	2022-09-26								
3	КО	M	56	N	VI	I	l	(2	Υe	es	Ye	S	None	2022-08-29	2022-09-27								
(4)*	(KU)*	(Ł)*	(33)*	(M	1)*	(III)*	(C,)*	(Ye	s)*	(Yes)*	Protocol non-adherence	(2022-08-29)*	(2022-10-04)*								
5	BR	Α	43	ı	F	I	l	(2	Υe	es	Yes		None	2022-08-30	2022-09-27								
6	PY	0	56	ı	F	II	I	(j .	Υe	es	Yes		None	2022-08-30	2022-09-27								
7	KU	М	44	ı	F	I	I	(2	Υe	es	Yes		Protocol non-adherence	2022-08-31	2022-10-03								
8	BI	M	31	ı	F	II	I	(2	Υe	es	Yes		Protocol non-adherence	2022-08-31	2022-10-03								
9	СН	D	51	ı	F	I	l)	Υe	es	Yes		None	2022-09-01	2022-09-29								
10	SO	S	60	N	VI	I	l	(2	Υe	es	Yes		None	2022-09-02	2022-09-30								
11	CZ	Α	55	ı	F	I	l)	Υe	es	Ye	S	None	2022-09-06	2022-10-04								
12	WA	W	51	ı	F	I	I)	Υe	es	Yes		None	2022-09-06	2022-10-04								
13	SK	K	72	ı	F	I	l	(j .	Υe	es	Yes		Yes		None	2022-09-06	2022-10-04						
14	GO	М	41	N	VI	I	I)	Υe	es	Ye	S	None	2022-09-06	2022-10-04								
15	DU	E	44	ı	F	١)	Υe	es	Ye	S	None	2022-09-06	2022-10-04								
16	RA	E	41	ı	F	I	I	١	١	Yes		Yes		Yes		Yes		Yes		Yes		None	2022-09-07	2022-10-05
17	MA	W	53	ı	F	I	I)	Υe	es	Yes		None	2022-09-07	2022-10-05								
18	ZA	I	57	ı	F	II	I)	Υe	Yes Yes		S	None	2022-09-12	2022-10-10								
19	MI	I	61	ı	F	I	I)	Υe	es	Ye	S	None	2022-09-21	2022-10-19								
20	SY	S	37	ı	F	I	I	(2	Υe	es	s Yes		None	2022-09-28	2022-10-26								
21	BA	L	75	ı	F	I	I)	Υe	es	Yes		None	2022-10-10	2022-11-07								
22	BI	J	87	N	VI	I	I	[)	Υє	es	Ye	s	None	2022-10-10	2022-11-07								
	Me	an	52	F	17	- 1	1	N	1	Yes	21	Yes	21											
	Med	lian	53	M	4	H	16	D	11															

Legend: F: female

M: male

N: normal

D: dry

G: greasy

C: combination

31

87

3

Ш

4

G

С

2

7

Minimum

Maximum SEM

95% CI

7.2 **DAILY LOG (TRANSLATION)**

***	eurofins Dermscan		n	KARTA BIEŻĄCEJ OBSERWACJI (miejscowo)															
eurofins Dermscan Pharmascan			PONIŻSZA TABELA MUSI BYĆ WYPEŁNIANA KAŻDEGO DNIA długopisem (nie ołówkiem). Jeśli produkt nie był aplikowany, należy wpisać "0" w polu "llość"																
	Badany	y produkt				Przypomnienie	warunkóv	v stosowani	a produktu										
dzień	DZIENNYCH DYS APLIKACJI I/LI			DZIENNYCH DYSKOM APLIKACJI I/LUB C	DZIENNYCH DYSKOM APLIKACJI I/LUB OZ	DZIENNYCH DYSKOMFO APLIKACJI I/LUB OZNA	DZIENNYCH DYS APLIKACJI I/LI	CH DYSKOMFORT	DYSKOMFORT I/LUB OZNAKI	DYSKOMFORT I/LUB OZNAKI	SKÓRNYCH LUB DYSKOMFORTU	MIEJSCE (np.: policzki, czoło)	CZAS WYSTĄPIENIA REAKCJI OD MOMENTU APLIKACJI/ZASTOSO-	CZAS TRWANIA (np.: kilka minut,	INTENSYW- NOŚĆ 1 bardzo lekkie	NORMALNY OBJAW PO ZASTOSOWA -NIU TEGO		UŻYCIE LEKÓW	
			CJI	obrzęk, suchość, pieczenie, mrowienie, swędzenie, ściąganie)		WANIA PRODUKTU (np.: zaraz po aplikacji, po x minutach, itd)	przez cały czas, <u>itd</u>)	2 lekkie 3 średnie 4 ostre	TYPU PRODUKTU (tak lub nie)	Użycie?	Jaki?, dlaczego?	Jaka dawka Jak długo?							
Np.	10/12/2020	1	⊠Tak □ Nie	Zaczerwienienie	Czoło	5 minut po aplikacji	10 minut	2	tak	⊠Tak □ Nie	Paracetamol, ból głowy	500 mg x 1							
DO		Bana Wieszorem	□ <u>Tak</u> □ <u>Nie</u>							□ <u>Tak</u> □ <u>Nie</u>									
D1			□ <u>Tak</u> □ <u>Nie</u>							□ <u>Tak</u> □ <u>Nie</u>									
D2			□ <u>Tak</u> □ <u>Nie</u>							□ <u>Tak</u> □ <u>Nie</u>									
D3			□ <u>Tak</u> □ <u>Nie</u>							□ <u>Jak</u> □ <u>Nie</u>									
D4			□ <u>Tak</u> □ <u>Nie</u>							□ <u>Tak</u> □ <u>Nie</u>									
D5			□ <u>Tak</u> □ <u>Nie</u>							□ <u>Jak</u> □ <u>Nie</u>	***************************************								
D6			□ <u>Tak</u> □ <u>Nie</u>							□ <u>Tak</u> □ <u>Nie</u>									

..../..... D28

7.3 **CONCOMITANT TREATMENTS**

Subject #	Medication (sales name)	Indication	Beginning of treatment (compared to the kinetics)	End of treatment (compared to the kinetics)
2	Ibuprom® Zatoki	Headache	D 6	D 9
11	Aspirin® C	Cold	D 23	D 25
12	lbuprom®	Headache	D 9	D 9
12	ibuprom	пеацасне	D 19	D 19
18	Nimesil®	Spine pain	D 12	D 13
21	Opokan®	Arthralgia	D 3	D 9
21	No-Spa® Max	Stomach ache	D 18	D 18

7.4 CUTANEOUS ACCEPTABILITY- INDIVIDUAL RESULTS

Cutaneous acceptability

FACE

	Signs reported by the su	ubjects	Clinical signs
Subject#	Functional signs	Physical signs	observed on D28
1	Mild tightness on the cheeks just after the product application uring 15 minutes on D0, D1, D2 and D3 (likely imputable, usual sign).		None
2	None	None	None
3	None	None	None
(4)*	(None)*	(None)*	(None)*
5	None	Mild dryness on the cheeks just after the product application during ten minutes on D2, D5 and D8 (likely imputable, usual sign).	None
6	None	None	None
7	Mild tightness on the cheeks two minutes after product application during five minutes on D0 (likely imputable, usual sign). Mild tightness on the cheeks and forhead just after the product application during less than five minutes from D0 to D33 (likely imputable, usual sign).	None	None
8	Mild tightness on the cheeks and forehead just after the product application during less than five minutes from D0 to D2 (likely imputable, usual sign). Moderate tightness on the cheeks and forhead just after the product application during eight hours from D3 to D33 (likely imputable, usual sign).	None	None
9	None	None	None
10	None	None	None
11	Mild tightness on the cheeks five minutes after the product application during ten minutes from D0 to D2 (likely imputable, usual sign). Very mild tightness on the cheeks five minutes after the product application during ten minutes from D3 to D28 (likely imputable, usual sign).	None	None
12	None	None	None
13	None	None	None
14	None	None	None
15	None	None	None
16	None	None	None
17	None	None	None
18	None	None	None
19	None	None	None
20	None	None	None
21	None	None	None
22	None	None	None

Legend:

()*: not included in data analysis



7.5 CLINICAL SCORE BY THE DERMATOLOGIST

7.5.1 Individual results

Itching

0 = no itching 10 = severe itching

			Variations
Subject#	D0	D28	∆ D28
1	0	0	0
2	2	0	-2
3	0	0	0
(4)*	(0)*	(0)*	(0)*
5	0	0	0
6	0	0	0
7	4	0	-4
8	2	0	-2
9	0	0	0
10	2	0	-2
11	2	0	-2
12	4	0	-4
13	4	2	-2
14	7	4	-3
15	4	0	-4
16	0	0	0
17	5	2	-3
18	4	1	-3
19	2	0	-2
20	0	0	0
21	0	0	0
22	4	0	-4
Mean	2.2	0.4	-1.8
Median	2.0	0.0	-2.0
Minimum	0.0	0.0	-4.0
Maximum	7.0	4.0	0.0
SEM	0.5	0.2	0.3
95% CI	1.0	0.5	0.7
Nb of subjects	21	21	21
	Δ	-80%	
	Statistica p	0.0002	
	Statisti	Wilcoxon	

% of subjects with the expected effect	62%
--	-----

Redness

0 = no redness 10 = severe redness

			Variations
Subject#	D0	D28	∆ D28
1	5	2	-3
2	4	1	-3
3	4	1	-3
(4)*	(5)*	(2)*	(-3)*
5	6	3	-3
6	5	2	-3
7	7	5	-2
8	4	2	-2
9	5	2	-3
10	7	5	-2
11	5	4	-1
12	4	2	-2
13	6	2	-4
14	7	4	-3
15	4	2	-2
16	7	2	-5
17	7	4	-3
18	6	2	-4
19	5	1	-4
20	4	4	0
21	4	1	-3
22	5	2	-3
Mean	5.3	2.5	-2.8
Median	5.0	2.0	-3.0
Minimum	4.0	1.0	-5.0
Maximum	7.0	5.0	0.0
SEM	0.3	0.3	0.2
95% CI	0.5	0.6	0.5
Nb of subjects	21	21	21
	Δ	-52%	
	Statistica p	<0.0001	
	Statisti	t-test	

<u>Legend</u>: ()*: data non included in the analysis

7.5.2 Statistical analysis



7.6 SUBJECTIVE EVALUATION QUESTIONNAIRE

GENERAL APPRECIATION OF THE PRODUCT AND ITS PROPERTIES

What did you think about this product?

		very pleasant	pleasant	neither pleasant nor unpleasant	unpleasant	very unpleasant
1	What is you global appreciation of the product?	52%	38%	10%	0%	0%
		agree	somewhat agree	neither agree nor disagree	somewhat disagree	disagree
2	Is the use of product easy?	81%	19%	0%	0%	0%
3	Did you find this product pleasant to use?	81%	19%	0%	0%	0%
4	What did you LIKE about this product? (open question)					
5	What did you DISLIKE about this product? (open question)					

PRODUCT'S EFFICACY

What did you think about the product's efficacy after 28 days of use?

		agree	somewhat agree	neither agree nor disagree	somewhat disagree	disagree
6	The skin is soft	71%	29%	0%	0%	0%
7	The skin is healthy looking	76%	24%	0%	0%	0%
8	The skin is cleansed	90%	10%	0%	0%	0%
9	The skin is moisturized	67%	19%	14%	0%	0%
10	The skin is soothed	67%	24%	10%	0%	0%
11	The skin is comfortable	76%	14%	10%	0%	0%
12	The product reduces itching	81%	10%	10%	0%	0%
13	The product reduces redness	67%	19%	14%	0%	0%
14	The product reduces discomfort sensation	57%	19%	24%	0%	0%
15	The product foams well	86%	14%	0%	0%	0%
16	The product is easy to rinse	90%	10%	0%	0%	0%
17	The product is suitable for my face type	71%	19%	10%	0%	0%

ACCEPTABILITY

FUTURE USE

		yes	no
18	During this study did you feel any cutaneous irritation sensation?	24%	76%

		yes	no
19	Would you like to continue to use the product?	81%	19%
20	At the end of this study would you like to buy this product (regardless of the price)?	86%	14%



8 APPENDICES - ETHICAL REQUIREMENTS AND REGULATORY STANDARDS

8.1 ADVERSE EVENT

8.1.1 Adverse Event (AE)

Any noxious symptom, occurring in a subject taking part in a clinical trial, whether or not this symptom is related to the study or the study product(s) (e.g. flu, headache, abnormal biological analysis...).

8.1.2 Undesirable Effect (UE) / Adverse Reaction (AR)

For a cosmetic product, an undesirable effect is defined as an adverse reaction for human health attributable to the normal or reasonably foreseeable use of the cosmetic product(s).

There are 5 levels of imputability: very likely, likely, not clearly attributable, unlikely and excluded (ANSM methodology).

The severity/intensity of undesirable effects/adverse events can be graded on a three-point scale:

- mild: discomfort noted, that does not disturb normal daily activities;
- moderate: discomfort sufficient to reduce or affect normal daily activities;
- severe: inability to work or have normal daily activities.

8.1.3 Serious Adverse Event (SAE) / Serious Undesirable Effect (SUE)

Any event that:

- results in death (note: death is the outcome, not the event);
- is life threatening;
- requires in-patient hospitalization (at least one night) or prolongation of existing hospitalization (does not include hospitalization scheduled before the inclusion);
- results in temporary or permanent functional incapacity or disability;
- is a congenital anomaly;
- is considered like by the investigator.

8.1.4 Documentation

All concomitant treatments are reported in the CRF (Case Report Form); only those started after the beginning of the study are reported in the study report.

All Undesirable Effects are reported in the CRF and the study report.

If it requires the temporary or definitive termination of the study product, the need for a corrective treatment or the withdrawal of the subject, an Adverse Event form is completed.

All SAE/SUE are reported in the CRF and the study report.

8.1.5 Notification

The investigator declares to the Sponsor, by e-mail, the occurrence of adverse reactions according to their severity and their unexpectedness (according to the investigator's advice).

All SAE/SUE are transmitted by e-mail to the Sponsor without delay, at the latest 24 hours after knowledge of their occurrence.

A SAE/SUE declaration form signed by a physician is sent, within 48 hours, by e-mail with acknowledgement of receipt.

8.1.6 Follow-up

When an adverse event linked to the investigational product or the protocol persists at the end of the study, the Investigator ensures that the subject is followed up until total resolution of the event or stabilization of the symptoms without releasing the Sponsor of any obligation or responsibility.

8.1.7 Occurrence of pregnancy

The occurrence of a pregnancy (reported or diagnosed) after inclusion in the study is considered as an intercurrent event not related to the study product(s) nor the protocol and induces the immediate dropping out of the subject. Any pregnancy that occurs during the study period is reported by e-mail to the Sponsor within 24 hours following its discovering.

A follow-up is done according to the current internal procedures until the completion/termination of the pregnancy or its interruption.

8.2 PREMATURE TERMINATION OF SUBJECT PARTICIPATION

In compliance with the Helsinki Declaration (1964) and its successive updates, subjects have the right to exit from the study at any time and for any motive.

The investigator can also interrupt the subject participation in the study prematurely in the case of a disease occurrence, a pregnancy or the occurrence of an adverse reaction.

The Sponsor can demand that any subject be excluded from the study for major infringements to the protocol, for administrative reasons or any other motive however this would need to be clearly documented with a rationale as to why.

Nevertheless, premature removal of a high percentage of subjects from the study can make it difficult or impossible to interpret. Consequently, any premature exit without valid motives should be avoided as much as possible and is carefully documented in the case report form, the final report and, if necessary, in the Adverse Event form.

Every premature exit must be classified under one of the following headings:

- presence of a non-inclusion criteria;
- Undesirable Effect / Adverse Event occurrence;
- Serious Adverse Event / Serious Adverse Effect occurrence;
- withdrawal of consent;
- lost to follow-up;
- appearance of non-inclusion criteria;
- non-adherence to the protocol;
- other reason.

No replacement is foreseen as 10% additional subjects are planned to be included in the study.

8.3 CONFIDENTIALITY AND GENERAL DATA PROTECTION REGULATION

In this study, EUROFINS Dermscan/Pharmascan processes personal data of subjects on behalf of the Sponsor, in accordance with the rules on the protection of personal data and, in particular, the Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data. For this purpose, EUROFINS Dermscan/Pharmascan limits the collection and use of personal data to that which is needed for analysis and control purposes, by ensuring their security and integrity and by guaranteeing their confidentiality.



EUROFINS Dermscan/Pharmascan makes sure beforehand and throughout the duration of the data-processing:

- of the compliance with the obligations of the applicable data protection law,
- to inform subjects of their personal data-processing after obtaining their consent,
- to implement and maintain appropriate technical and organisational measures.

An identification code is attributed to each subject for the purpose to keep his/her identity confidential. This code consists of the first two letters/first letter of the subject's name and the first letter of his/her first name.

According to Article 14 of GDPR, the concerned subject must be informed of the identity and the contact details of the Controller and, where applicable, of the controller's representative. However, considering the objective of the study, to avoid any bias in the investigational product evaluation, the identity of the Sponsor is not revealed to the subject participating.

8.4 DATA COLLECTION AND VALIDATION

The personnel in charge of the study collects data into individual case report forms in electronic (e-CRF CleanWEBTM internet platform) or paper format and/or directly from measurement software.

When information is collected in paper format, the simple/double data entry is then done from these supports by the designed operator(s), without any interpretation, in specific MS EXCEL databases.

The Project Manager or assistant checks the double data entry by comparing both databases.

Then the coherence of the whole data set is checked as well as formulas used in the EXCEL tables (calculation formulas, selected data...).

When all the controls are done, the database is locked.

8.5 QUALITY MANAGEMENT

In order to ensure that the clinical trials are in compliance with the Sponsor's requirement, EUROFINS Dermscan/Pharmascan has implemented a quality management system which has been certified ISO 9001: 2015. This quality assurance system includes appropriate Good Clinical Practices (GCP) and regulation requirements.

Each study report is subjected to a quality inspection by a member of the EUROFINS Dermscan/Pharmascan Proofreading Committee. The proofreader is chosen because he(she) is not involved in the audited study. The inspection of the study report allows to confirm that the results reflect exactly the study raw data and that the study fulfils any standard and regulatory requirements.

A certificate of quality inspection signed by the person who checked the report is enclosed in each study.

8.6 ARCHIVES OF STUDY DOCUMENTS

